

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received during week ended Jan. 19, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Virginia: Counties— Augusta Brunswick Carroll Lee Nansemond Norfolk Montgomery Prince William Southampton Washington	Dec. 1-31	14 4 8 12 21 1 1 2 2 3		
Total for State Grand total for the United States.		68 504	1	

For reports received from July 1 to December 29, see Public Health Reports for December 29, 1911. The cumulative table of reported cases of smallpox, heretofore published each week, has been discontinued, and in its place summaries will be published periodically.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED DEC. 30, 1911.

Cities.	Population,			ph- ria.	Meas	sles.	Scar fev		Sm		Tube		Typ iev	
	United States census 1910.	from all causes.	Cases.	Deaths.	Casses.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md. Boston, Mass. Chicago, Ill. Cleveland, Ohio. New York, N. Y. Philadelphia, Pa. Pittsburg, Pa. St. Louis, Mo.	670, 585 2, 185, 283 560, 663	202 231 601 129 1,441 541 136 218	36 43 182 34 298 94 45 22	4 2 24 2 36 16 6 2	4 80 49 40 419 6 10 5	2 2 2 7 1	30 28 126 40 215 33 23 13	9 1 8 4 1	1 3	1	27 41 117 19 425 51 16 28	31 21 73 9 149 60 8 20	10 1 25 4 60 126 19 6	2 2 2 9 6 1
Cities having from \$90,000 to 500,000 i nhabitants.	a de la companya de l													
Buffalo, N. Y. Cincinnati. Ohio. Detroit, Mich. Los Angeles, Cal. Milwaukee, Wis. Newark, N. J. New Orleans, La. San Francisco, Cal. Washington, D. C.	465, 766 310, 198 373, 857 347, 469 339, 075 416, 912	85 121 152 118 86 99 143 158 126	40 10 28 10 19 28 10 7	1 1 3 2 1 	24 3 25 94 4	1	20 19 20 12 27 13 13 17 3	1	3 4	1	18 25 7 15 17 33 25 18	8 19 19 11 12 15 18 10	3 2 4 12 3 2 11	1 1 3
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo Jersey City, N. J. Providence, R. I. Seattle, Wash.	267,779 224,326	74 84 47 38	19 20 5	3	3 11 3	1 	7 9 5	1			4 4	9 9 3 6	3 1	1 2 1

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended Dec. 30, 1911—Continued.

	Population	Total deaths	Di _l	ph- ria.	Meas	sles.	Scar	rlet er.	Sm	all- ox.	Tub	ercu-	Typ fev	hoid er.
Cities.	United States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn. Cambridge, Mass. Columbus, Ohio Dayton, Ohio. Fall River, Mass. Grand Rapids, Mich Lowell, Mass. Nashville, Tenn. Oakland, Cal. Omaha, Nebr. Spokane, Wash. Toledo, Ohio. Worcester, Mass.	112, 371 106, 294 110, 364 150, 174 124, 096	24 27 71 54 26 23 44 33 25 30	13 9 8 3 1 6 4 5 2 9	2 1 1	13 14 8 1	1	4 4 9 3 1 3 6 3 1 1 3 6 7		1 12		6 4 4 3 4 2 1 3	24 7 5 1 2 3 3 5 4 1 2 3	3 1 1 1 1 1 2 2	i i i i i
Cities having from 50,000 to 100,000 inhabitants.	Market desired in the latest desired in the													
Altoona, Pa. Bayonne, N. J. Brockton, Mass. Camden, N. J. Duluth, Minn. Elizabeth, N. J. Evansville, Ind. Harrisburg, Pa. Hartford, Conn. Hoboken, N. J. Houston, Tex. Johnstown, Pa. Lawrence, Mass. Lynn, Mass. Manchester, N. H. New Bedford, Mass. Oklahoma City, Okla. Passaie, N. J. Pawtucket, R. I. Peoria, Ill. Portland, Me. Reading, Pa. San Antonio, Tex. Schenectady, N. Y. South Bend, Ind. Springfield, Ill. Springfield, Mass. Terre Haute, Ind. Trenton, N. J. Wilkes-Barre, Pa. Wilmington, Del. Yonkers, N. Y.	70, 063 96, 652 64, 205 54, 773 51, 622 66, 950 58, 571 96, 671 96, 614 72, 826	15 15 15 15 15 15 15 15 16 15 16 16 16 16 16 16 16 16 16 16 16 16 16	2 6 6 3 3 4 4 4 5 5 13 3 1 1 6 6 5 2 2 3 3 4 4 1 1 1 7 7 4 3 1 1 4 3 1 1 4 3 2 2	1 1 1 1 1 1 2	12 1 1 1 1 4 7 4 1 6 23		2 8 3 3 5 5 5 3 3 3 3 5 5 5 5 5 5 5 5 5 5	1	2		1 1 1 8 2 2 2 2 10 1 1 10 3 3 2 4 4 1 1 26 1 1 4 4 4 1 1 4 1 4 1 1 1 1 1 1 1 1 1	1 1 2 2 2 2 2 2 2 1 3 2 3 2 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 1 1 1 1 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 1 2 2 3 3 3 1 2 2 3 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 1 3 2 3 3 3 1 3 3 3 3	1 2
Cities having from 25,000 to 50,000 inhabitants.	,				-									
Auburn, N. Y Aurora, III. Berkeley, Cal Binghamton, N. Y Brookline, Mass. Butte, Mont. Chattanooga, Tenn. Chelsea, Mass Danville, III. Dubuque, Iowa. East Orange, N. J. Elmira, N. Y El Paso, Tex Everett, Mass. Haverhill, Mass.	34, 668 29, 807 40, 434 48, 443 27, 792 39, 165 44, 604 32, 452 27, 871 38, 494 34, 371 37, 176 39, 279 33, 484 44, 115	8 7 11 25 2 25 25 20 11 9 9 17 27 27 3	1 1 2 5 3 5 2 2 2 3 4	1 1 1	1 1 2 4 5		1 2 3 3 3				2 2 1	1 2 4 2 1 1 1 1 1 10	1	2

MORBIDITY AND MORTALITY-Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended Dec. 30, 1911—Continued.

Cities.	Population United	Total deaths	Dij the	ph- ria.	Mea	sles.	Sca. fev	rlet er.	Small- pox.		Tubercu- losis.		Typ fev	hoid er.
	States census 1910.	from	Cases.	Deaths.	Čases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Casses.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Continued.														
Kalamazoo, Mich. Knoxville, Tenn La Crosse, Wis Lancaster, Pa. Lexington, Ky Lima, Ohio. Lynchburg, Va. Malden, Mass. McKeesport, Pa. Montgomery, Ala Mount Vernon, N. Y New Castle, Pa. Newport, Ky Newton, Mass. Niagara Falls, N. Y Norristown, Pa. Orange, N. J Pasadena, Cal Pittsfield, Mass. Portsmouth, Va. Racine, Wis. Roanoke, Va. San Diego, Cal South Omaha, Nebr Superior, Wis Taunton, Mass Waltham, Mass. West Hoboken, N. J Williamsport, Pa. York, Pa. Zanesville, Ohio.	39, 437 36, 346 30, 417 47, 227 35, 5099 30, 508 29, 494 44, 404 42, 694 38, 136 30, 919 36, 280 30, 309 39, 806 30, 445 27, 875 29, 630 30, 291 32, 121 33, 190 34, 874 39, 578 26, 259 40, 384 47, 500 27, 834 35, 443	18 8 20 10 8 13 12 17 14 9 9 8 8 7 7 7 9 9 8 14 12 11 11 9 6 6 12 11 11	1 1 1 7 1 2 2 6 5 5 1 7 1 1 1 1 4 4 4 4 4 1	1 5	1 22 1 9 2		3 2 2 2 15 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2		1		3	1 1 1 2 1 3 5		2
Cities having less than 25,000 inhabitants.														Ī
Ann Arbor, Mich. Beaver Falls, Pa. Biddeford, Me. Butler, Pa. Cambridge, Ohio. Camden, S. C. Carbondale, Pa. Cilinton, Mass. Coffeyville, Kans. Columbus, Ga. Columbus, Ind. Concord, N. H. Cumberland, Md. Dunkirk, N. Y. Caleaburg, III.	14, 817 21, 191 17, 079 20, 782 11, 327 17, 040 13, 075 12, 687 20, 554 21, 497 21, 839	1 9 5 2 3 4 11 4 12 7	6 5 1	1			4				1	1	1 4 1	
Galesburg, Ill Greensboro, N. C. Harrison, N. J. Homestead, Pa. Hyde Park, Mass. La Fayette, Ind. Lebanon, Pa. Manistee, Mich. Marinette, Wis. Marlboro, Mass. Massillon, Ohio Medford, Mass Melrose, Mass Melrose, Mass Moline, Ill. Montclair, N. J.	22, 089 15, 895 14, 498 18, 713 15, 507 20, 081 19, 240 12, 381 14, 610 14, 579 13, 879 23, 150 15, 715 24, 199 21, 550	2 2 4 8 4 8 8	1 2	1	2		1				1		1 1 1	

MORBIDITY AND MORTALITY-Continued.

Weekly morbidity	and mortality tabl	e, cities of the	United	States, for	week ended
	Dec. 30, 1	911—Continu	ıed.		

Cities.	Population United States census 1910.	Total deaths		Measles.		Scarlet fever.		Small- pox.		Tubercu- losis.		Typhoid fever.		
		from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Con.					1									
Morristown, N. J. Nanticoke, Pa. Newburyport, Mass. North Adams, Mass. Northampton, Mass. Ottumwa, Iowa Palo Alto, Cal. Peekskill, N. Y. Plainfield, N. J. Pottstown, Pa. Saratoga Springs, N. Y. South Bethlehem, Pa. Steelton, Pa. Warren, Pa. Wilkinsburg, Pa. Wilkinsburg, Pa.	18, 857 19, 240 22, 012 19, 431 22, 012 22, 550 19, 973 14, 246 11, 080 18, 924	6 3 20 10 7 14 5 6 5 5 4 1 5	1 2 1 2 5 2 3	1	28 1 3 5		2		1		1	1 1 2	2	

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

COLORADO.—Three months ended September 30, 1911. Population, 799,024. Total number of deaths from all causes 2,466, including diphtheria 15, measles 2, scarlet fever 6, tuberculosis 386, typhoid fever 94. Cases reported: Diphtheria 296, measles 49, scarlet fever 177, smallpox 68, typhoid fever 752.

FLORIDA.—Week ended December 30, 1911. Reports from the State board of health show diphtheria present in 3 localities with 6 cases; malaria in 3 localities with 8 cases; smallpox in 5 counties with 5 cases; tuberculosis in 4 localities with 7 cases; typhoid fever in 5 localities with 5 cases.

Iowa.—Month of November, 1911. Population, 2,224,771. Total number of deaths from all causes 1,600, including diphtheria 20, measles 5, scarlet fever 2, smallpox 27, tuberculosis 92, typhoid fever 47.

Kansas.—Month of October, 1911. Population, 1,690,949. Total number of deaths from all causes not reported. The deaths include diphtheria 9, scarlet fever 1, smallpox 1, tuberculosis 17, typhoid fever 30. Cases reported: Diphtheria 111, measles 8, scarlet fever 170, smallpox 48, tuberculosis 39, typhoid fever 303.

Pennsylvania.—Reports received from the State department of health show as follows:

Morbidity.—Month of September, 1911. The total number of communicable diseases reported was 6,230, including anterior poliomyelitis 30, cerebrospinal meningitis 11, chickenpox 134, diphtheria